ANIL P. PUNJABI, M.D., D.D.S. Board Certified American Board of Plastic Surgery American Board of Oral & Maxillofacial Surgery

<u>Consent for Dental Implant Surgery</u> (One Stage, Two Stage, Immediate Load and Temporary)

Page 1 of 4

Patient Name	Date	Pt. #
Please initial each paragra doctor BEFORE signing.	ph after reading. If you h	ave any questions, please ask your
are able to make the decisio to sign is your acknowledgm	n as to whether to proceed v	roposed implant placement so that you with surgery. What you are being asked the nature of the proposed treatment, native treatments.
My planned procedure will i	nvolve placement of (#)	to implant(s) in the area(s) of my
(circle) UPPER and/or L	OWER jaw.	
stage technique. One stage the implant protruding throu requires one surgery to place uncover the implant and pla one-stage and two-stage impyour restorative dentist will be	means the implant will be su igh your gum tissue at the co e the implant, followed by a ce a healing cap that protrud plant placement techniques u	either a one-stage technique or two- orgically positioned with a portion of completion of surgery. Two-stage surgery healing time, then a second surgery to les through the gum tissue. Both the sually require a healing period before oration. Your surgeon and restorative ur condition.
restoring dentist may elect to	o restore some or all of the intechnique is called "Immedia	cific criteria, your surgeon and inplants immediately or shortly after the te Load" and it carries some increased
anchor a provisional dental i some increased concerns abo	restoration while the other in	ants" may be placed to temporarily applants heal. This technique carries porary" implants. "Temporary"
In certain cases, the su with bone or artificial bone s devices, impressions or inde apparent until after the surge	xing the implants, etc.). The	materials and procedures (grafting embranes and associated fixation e need for those procedures may not be
Your procedure is intended to Additional methods m	☐ Immediate Load ☐ nay include: ☐ Grafti	Two Stage Temporary Implants ng (with separate consent form) utes or Locally Available Bone Particles

	 Healing membrane			
Page 2	of 4, Consent for Dental Implant Surgery			
	os and cons of possible alternative methods (if any) of replacing my missing teeth have replained to me, including: No treatment Keeping, or attempting to improve, my present denture or bridge Restoring missing teeth with "conventional" methods, such as:			
	Other:			
or more missing acknow	understand that incisions will be made inside my mouth for the purpose of placing one e root-form structures (dental implants) in my jaw to serve as anchors to replace a tooth or teeth, upon which a crown (cap), bridge or denture will be secured. I ledge that the procedure has been explained to my full understanding, including the and location of incisions and the type of implant(s) that will be used.			
I u and plac services	anderstand that the dental restoration (such as crown, bridge or denture) will be made ced by Dr, and that a separate charge for such will be made by that office. That office will also monitor those restorations in the future.			
I understand that <u>if a two-stage procedure is planned</u> , the implant will probably remain covered by gum tissue for the initial healing period, and that a second surgical procedure will be required to uncover the top of the implant to prepare for dental restoration. (In a one-stage procedure, the implant will usually remain accessible.)				
Risks a	nd Complications of Dental Implant Surgery include, but are not limited to:			
recuper: B. C. D. E.	Post-operative discomfort and swelling that may require several days of at-home ation. Prolonged or heavy bleeding that may require additional treatment. Damage to adjacent teeth or roots of adjacent teeth. Post-operative infection that may require additional treatment. Stretching of the corners of the mouth that may cause cracking and bruising, and may			
	slowly. Restricted mouth opening for several days; sometimes related to swelling and muscle soreness and sometimes related to stress on the jaw joints (TMJ). Injury to nerve branches in the jaw or soft tissue resulting in tingling, numbness, or pain			
n the H. upper	chin, lips, cheek, gums, tongue or teeth on the operated side(s). These symptoms may persist for several weeks or months, and in some cases may be permanent. Opening into the sinus (a normal hollow chamber in the bone above the roots of back			
	teeth) requiring additional treatment. If the sinus is entered there may be symptoms of sinusitis for several weeks that may require certain medications and additional recovery			
	Fracture of the jaw or of thin bony plates. Bone loss around the implants.			

K. Certain other fixation devices may be used (screws, plates, membranes, etc.) that may either	
stay in place permanently or require later removal by another surgery. There may be unexpected exposure of these devices through the gum, causing their premature loss	
removal, and possible loss of the implant. L. Implant or prosthesis failure. Rarely, the implant or parts of the structure holding the replacement tooth, or the replacement tooth itself, may fail due to chewing stresses.	
Page 3 of 4, Consent for Dental Implant Surgery	
M. Rejection of the implant by natural body defenses. (If the implant is lost, it is usually	
possible to replace it in a later surgery after the bony defect has healed or been bone grafted to	
achieve	
It has been explained to me that during the course of surgery unforeseen conditions may be revealed that will necessitate extension of the original procedure or a different procedure from that which was planned (for example, changing from a one-stage to a two-stage process, use of bone grafting techniques involving substitute material or locally available bone particles, etc.). I give my permission for such additional procedures that may be indicated in my doctor' professional judgment.	
No guarantee can be or has been given that the implant(s) will last for a specific timperiod. It is anticipated that the proposed treatment will offer measurable relief for my condition, or otherwise enhance my dental health. Nonetheless, it is not possible to predict the absolute certainty of success. I hereby acknowledge that no guarantee, warranty or assurance has been given to me that the proposed surgery will be completely successful in eliminating all predictions or complaints. I acknowledge that there is the risk of failure, relapse, selective restrictions are complaints.	
treatment, or worsening of my present condition, despite efforts at optimal care.	
I understand that once the implant is inserted, the entire treatment plan must be followed and completed on schedule. If the planned schedule is not carried out, the implant(s) may fail	
I understand that my doctor is not a seller of the implant device itself and makes no warranty or guarantee regarding success or failure of the implant or its attachments used in this procedure.	;
Anesthesia	
The anesthesia I have chosen for my surgery is: Local anesthesia (numbness) Local anesthesia with Nitrous Oxide/Oxygen (Laughing Gas) Local anesthesia with Oral Sedation (Relaxing Pill) Local Anesthesia with Intravenous Sedation Local Anesthesia with General Anesthesia	

Anesthetic Risks include: discomfort, swelling, bruising, infection, prolonged numbness and allergic reactions. There may be inflammation at the site of an intravenous injection (phlebitis) that may cause prolonged discomfort and/or disability, and may require special care. Nausea and vomiting, although rare, may be a side effect of IV anesthesia. Intravenous sedation and/or anesthesia is a serious procedure and, although considered safe, carries with it the risk of heart irregularities, heart attack, stroke, brain damage or death.

Your Obligation if IV Anesthesia is used:

- A. Because anesthetic medications cause prolonged drowsiness, you **MUST** be accompanied by a responsible adult to drive you home and stay with you until you are recovered sufficiently to care for yourself. This may be up to 24 hours.
- B. During recovery time (24 hours) you should not drive, exercise, or operate devices that may harm you, or make important decisions that demand full comprehension.

Page 4 of 4, Consent for Dental Implant surgery

- C. You must have a completely empty stomach. <u>IT IS VITAL THAT YOU HAVE NOTHING TO EAT OR DRINK FOR 6HOURS PRIOR TO YOUR ANESTHETIC.</u>
 TO DO OTHERWISE MAY BE LIFE THREATENING!
- **D.** However, it is important that you take any regular medications (high blood pressure, antibiotics, etc.) or any medications provided by this office, **using only a small sip of water.**

I understand tobacco use is extremely detrimental to the success of implant surgery. I
agree to cease all use of tobacco for 2-3 weeks prior to and after surgery, including the later
uncovering procedure, and to make strong efforts to give up smoking entirely.

Consent

My signature below signifies that all questions regarding this consent have been answered to my satisfaction, and I fully understand the risks involved with the proposed procedures and anesthetic. I certify that I read, write, and understand English. I hereby give my consent for the planned surgery.

to

Signature of Patient or Guardian Patient	Date	Guardian's Relationship
Doctor's Signature	Date	
Witness' Signature	Date	